



### Form for Uploading Half Yearly Compliance Report

#### Proposal Details

**Proposal No**

SEIAA-EC-0000001452

**Category**

INFRA-2

**Name of Project**

Arihant Aleenta Proposed Building and Construction Project at Plot No. 5, Sector 9, Village: Vashi, Tal: Thane, Navi Mumbai.

**Plot / Survey/ Khasra No.**
**Village(s)**
**Sub-District(s)**
**State**

MAHARASHTRA

**District**

THANE

**MoEF File No**

SEIAA-EC-0000001452

**Name of the Entity/**
**Corporate Office**

M/s. Arihant Estates

**Entity's PAN \***

NA

[Update E-KYC](#)

**Entity Name as per PAN \***

M/s Arihant Aashiyana Pv

**Entity details mentioned above is correct ? \***

Agree  Disagree

#### Covering Letter

**Covering Letter**

Arihant Aleenta.pdf

Document Uploaded

## Compliance Reporting Details

## Reporting Year \*

2025

## Reporting Period \*

01 Dec(01 Apr - 30 Sep)

View Previous Compliances

## Remark(if any)

April 2025 - September 2025

## Details of Production and Project Area

## Date of Commencement of Project/Activity

dd-mm-yyyy

## Status of implementation of the project \*

Select

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	6.97142	0.87603
Revenue Land	0	0
Forest	0	0
Total	6.97142	0.87603

## OTHERS

Other Name *	Area Granted *	Area Actual *	Action
			 Add Row

Sr.No.	Others Name	Area Granted	Actual Area	Action

## Land Documents

Choose File No file chosen

(Upload Pdf only Max 20 MB)

**PRODUCTION CAPACITY**

Name of the Product *	Units *	As per EC Granted *	As per CTO Granted	CTO ID
<input type="text"/>	Select <input type="button" value="▼"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**Note: Please select the unit as per the EC granted. This unit shall be applicable to the production details specified under the columns 'As per EC Granted', 'As per CTO Granted', 'Production during last financial year' and 'Production during the current financial year'.**

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Last Financial Year w.r.t. Reporting Year	Production during last financial year w.r.t. Reporting Year	Current Financial Year w.r.t. Reporting Year	Production during the current financial year w.r.t. Reporting Year (01 April to 30- November)
1	NA	Others:NA	NA	NA	NA	NA	null	NA	null	null



**Note: The content and sequence of EC conditions are to be entered as per the EC letter.**

**\*\*Note : If EC Conditions are not available below, Click here to upload EC Condition.**

[Upload EC Condition](#)

**Conditions \*****Specific Conditions**

Sr.No.	Condition Heading	Condition Details	Status of Compliance, Remarks / Reason and Supporting Documents		Enter Status of Compliance	Action
1	Statutory compliance	PP to submit Debris management plan as per construction and demolition waste management rules approved by NMMC.	PPs Submission	We have prepared debris management plan as per construction and demolition waste management rules and submitted to NMMC. Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row

2	Statutory compliance	PP to submit HRC NOC.	PPs Submission	We have submitted an application for HRC NOC and our application is under process. However, we assure you that we will start construction work at the site after obtaining HRC NOC. Partially Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
3	Statutory compliance	PP to ensure that, total water demand supply should be by NMMC.	PPs Submission	Refer Annexure 1. Complied 17-06-2025 Attachment: <a href="#">Click to View</a>	<a href="#">Enter</a>	 Delete Row
4	Statutory compliance	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF and CC vide F.No.22-34/2018-IA.III dt.04.01.2019.	PPs Submission	Condition is noted and we shall comply the same Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
5	Statutory compliance	PP to submit CER plan to Municipal Commissioner, NMMC and submit the acknowledgement copy to submitted to Member Secretary, SEIAA.	PPs Submission	Condition is noted and we shall comply the same Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
6	Statutory compliance	PP to submit HRC NOC. and EC is restricted to 70 m height.	PPs Submission	Condition is noted and we shall comply the same Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
7	Risk Mitigation and Disaster Management	PP to ensure evacuation time should be less than 24 minutes.	PPs Submission	Condition is noted and we shall comply the same Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row

### General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance, Remarks / Reason and Supporting Documents		Enter Status of Compliance	Action
1	WASTE MANAGEMENT	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	PPs Submission	Yes, E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
2	Statutory compliance	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	PPs Submission	We shall apply for an Occupation Certificate only after ensuring the availability of drinking water and connectivity of the sewer line to the project site. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
3	Statutory compliance	This environmental clearance is issued subject to obtaining NOC from Forestry and Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable and this environment clearance does not necessarily implies that Forestry and Wild life clearance granted to the project which will be considered separately on merit.	PPs Submission	As the site is not within the radius as define under the circular number and hence NOC is not applicable. Not Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
4	Statutory compliance	PP has to abide by the conditions stipulated by SEAC and SEIAA.	PPs Submission	Condition is noted and we shall abide by the same. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row

			PPs Submission  Condition is noted and we shall abide by the same. Agreed to Comply 17-06-2025 Attachment:NA		
5	Statutory compliance	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body and it should ensure the same along with survey number before approving layout plan and before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.	PPs Submission  The proposed construction shall be as per the approved plans sanction by NMMC. Refer Annexure 2. Complied 17-06-2025 Attachment: <a href="#">Click to View</a>	<span style="border: 1px solid blue; padding: 2px 5px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px; text-align: center;">-</span> Delete Row
6	Statutory compliance	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	PPs Submission  We have Obtained Consent to Establish from MPCB. Refer Annexure 3. Complied 17-06-2025 Attachment: <a href="#">Click to View</a>	<span style="border: 1px solid blue; padding: 2px 5px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px; text-align: center;">-</span> Delete Row
7	Human Health Environment	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	PPs Submission  Mobile toilet, soak pits have been provided in construction phase and proper care regarding sanitary and hygienic condition will be maintained throughout the construction phase. Complied 17-06-2025 Attachment:NA	<span style="border: 1px solid blue; padding: 2px 5px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px; text-align: center;">-</span> Delete Row
8	Human Health Environment	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision	PPs Submission  Adequate drinking water facility is	<span style="border: 1px solid blue; padding: 2px 5px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px; text-align: center;">-</span> Delete Row

		should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.		provided for the workers at the site during construction phase. Complied 17-06-2025 Attachment:NA		
9	WASTE MANAGEMENT	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	PPs Submission	During the Operation phase, the solid waste generated is properly collected and segregated. The decomposable waste will be decomposed by an organic waste composter and will be used as manure; dry/inert solid waste is disposed of in the MSW disposal site. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
10	WASTE MANAGEMENT	Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	PPs Submission	Disposal of muck generated during construction phase does not have any adverse effect on neighbouring communities and is being disposed of taking necessary precautions for general safety and health of people. Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

11	WATER QUALITY MONITORING AND PRESERVATION	Arrangement shall be made that waste water and storm water do not get mixed.	PPs Submission	Covered sewage system has proposed which is connected to STP for the treatment and reuse of the treated water. Excess treated water shall be disposed off into the sewer drain. Partially Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
12	GREENBELT	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	PPs Submission	Separate stock piles have been maintained. All the top soil excavated during construction activities had been stored and utilized in horticulture/ landscape developments within the project site. The remaining excavated soil is being utilized in re-filling of foundation, road works, rising of site level etc. Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

13	GREENBELT	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	PPs Submission	The Additional soil if any, is utilized in re-filling of foundation, road works, rising of site level etc. Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
14	GREENBELT	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	PPs Submission	The green area is approx. 1301.800 sq.mt A combination of native evergreen trees and ornamental flowering trees, shrubs and palms are planned in the complex. There will be tree plantation of about 75 nos. Landscape Plan Attached as Annexure 4. Agreed to Comply 17-06-2025 Attachment: <a href="#" style="color: blue; text-decoration: underline;">Click to View</a>	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
15	WATER QUALITY MONITORING AND PRESERVATION	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	PPs Submission	Soil testing was done, according to the reports all the parameters are within limit and there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
16	WASTE MANAGEMENT	Construction spoils, including bituminous material and other hazardous materials must not be allowed to	PPs Submission	There will be no generation of hazardous waste at site, however	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

		contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.		proper care is being taken following the norms to disposal of the bituminous and other hazardous material at site. Also silt traps and other measures such as additional on-site are constructed to control surface Run-off. Being Complied 17-06-2025 Attachment:NA		
17	WASTE MANAGEMENT	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	PPs Submission	Since this is a building construction project, there shall not be hazardous waste generated during construction. However negligible quantity of Paint waste and used oil will be generated from the site, is disposed through Authorized vendor of MPCB. Being Complied 17-06-2025 Attachment:NA	<span style="border: 1px solid blue; padding: 2px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px;">-</span> Delete Row
18	AIR QUALITY MONITORING AND PRESERVATION	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	PPs Submission	During construction phase, DG set is used during power failure. DG sets is enclosed with acoustic enclosure. They are running on low Sulphur diesel only with the	<span style="border: 1px solid blue; padding: 2px;">Enter</span>	<span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px;">-</span> Delete Row

				provision of air and noise emission standards as per EP Rules, 1986 Being Complied 17-06-2025 Attachment:NA		
19	AIR QUALITY MONITORING AND PRESERVATION	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.	PPs Submission	The diesel required for operating DG set has been stored in HDPE drums and log books is managed adequately. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
20	AIR QUALITY MONITORING AND PRESERVATION	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	PPs Submission	It is ensured that all the vehicles used for construction activities are having valid Pollution under Check (PUC) certificates. The vehicles without valid Pollution under Check (PUC) certificate are not permitted at project site. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
21	Noise Monitoring & Prevention	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to	PPs Submission	Ambient noise levels have been confirmed to standards both during day and night. The silent type DG set with acoustic enclosures has been installed at project site. Exhaust is	<a href="#">Enter</a>	 Delete Row

		conform to the stipulated standards by CPCB/MPCB.		conforming to the provisions of Environment (Protection) Rules prescribed for air and noise emission standards. All vehicles entering to the site were with valid PUC certificate. All machinery used at the site is new and periodic maintenance of the machinery insured. Being Complied 17-06-2025 Attachment:NA		
22	Statutory compliance	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100 Km of Thermal Power Stations).	PPs Submission	Agreed. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
23	WATER QUALITY MONITORING AND PRESERVATION	Ready-mixed concrete must be used in building construction.	PPs Submission	Yes, Ready mixed concrete with fly ash gets used in the construction Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
24	WATER QUALITY MONITORING AND PRESERVATION	Storm water control and its re-use as per CGWB and BIS standards for various applications.	PPs Submission	Rainwater from terraces has been diverted to rainwater harvesting tank. Runoff from the rest of the area shall be discharged through a designed	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

				storm drainage network into Municipal SWD. Partially Complied 17-06-2025 Attachment:NA		
25	WATER QUALITY MONITORING AND PRESERVATION	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	PPs Submission	Water demand during construction is being reduced by use of pre-mixed concrete, curing agents and other best practices referred. Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row
26	WATER QUALITY MONITORING AND PRESERVATION	The groundwater level and its quality should be monitored regularly in consultation with Groundwater authority.	PPs Submission	The ground water levels and its quality is monitored regularly. Being Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

27	WATER QUALITY MONITORING AND PRESERVATION	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100 percent grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	PPs Submission	STP is provided to treat the waste water. STP is provided by established consultant and operation and maintenance shall be done by the technical persons of consultant. STP of Capacity 300 KLD with MBBR technology is provided which will be utilized for Flushing and Gardening purpose. Refer Annexure 5. Agreed to Comply 17-06-2025 Attachment: <a href="#">Click to View</a>	<a href="#">Enter</a>	 Delete Row
28	WATER QUALITY MONITORING AND PRESERVATION	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	PPs Submission	We have been using tanker water for construction activity. During Operation Phase, necessary water permission is obtained from Competent Authority. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
29	WATER QUALITY MONITORING AND PRESERVATION	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	PPs Submission	Yes, Grey and black water is separated by the use of dual plumbing line. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
30	WATER QUALITY MONITORING AND PRESERVATION	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure	PPs Submission	Adequate measures are taken into consideration to minimize	<a href="#">Enter</a>	 Delete Row

		reducing devices or sensor based control.		the wastage of water. Being Complied 17-06-2025 Attachment:NA		
31	ENERGY PRESERVATION MEASURES	Use of glass may be reduced up to 40 percent to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	PPs Submission	Agreed to comply with the Architect design at planning stage. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
32	ENERGY PRESERVATION MEASURES	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfil requirement.	PPs Submission	Agreed to comply with the Architect design at planning stage. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
33	ENERGY PRESERVATION MEASURES	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed of /sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	PPs Submission	Installation of LED bulbs in plant room, podium parking areas, Lift Lobbies and staircases. 40 percent lighting including for Road, Landscape and garden shall be kept on solar system. Also, other Lights provided on Energy saving luminaries like CFL/LED instead of metal halide lamps. CFLs will be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	<a href="#">Enter</a>	 Delete Row

				Use of solar panels will be adapted to the maximum extent possible for energy conservation. Agreed to Comply 17-06-2025 Attachment:NA		
34	ENERGY PRESERVATION MEASURES	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	PPs Submission	D.G. set is provided as back up for Residential buildings. Two D.G. sets of 250 and 400 KVA respectively are provided with silencer and acoustic enclosures. The stacks are provided as per MPCB norms. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
35	Noise Monitoring & Prevention	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night-time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	PPs Submission	Construction equipment producing the most amount of noise shall be fitted with noise shields. This shield is a physical barrier of approx. 3 mtrs. In height which will provide adequate noise attenuation. Noisy construction equipment shall not be permitted during night hours. Works employed in high-noise areas will be rotated. Earplugs/muffs or other	<a href="#">Enter</a>	 Delete Row

				hearing protective wear will be provided to those working very close to the noise-generating machinery. Anti-honking sign boards will be placed in the parking areas and on entry and exit points. Partially Complied 17-06-2025 Attachment:NA		
36	Noise Monitoring & Prevention	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	PPs Submission	This effect would be prominent during construction as well as the operation phase. The probability of inconvenience faced due to the frequency of truck movement during the construction phase would be minimized by better control of traffic movement in the area. Noise levels expected from the planned operating conditions have been assessed and are likely to be within acceptable levels. The impacts have been mitigated by the suggested measures in the Air control and management section. Anti-	<a href="#" style="border: 1px solid blue; padding: 2px 10px;">Enter</a>	 Delete Row

			honking sign boards are placed in the parking areas and on entry and exit points. The project will be provided with sufficient road facilities within the project premises and there will be a large area provided for the parking of vehicles. Partially Complied 17-06-2025 Attachment:NA		
37	AIR QUALITY MONITORING AND PRESERVATION	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for nonair-conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	PPs Submission  Efforts for the Opaque wall will meet prescriptive requirements as per the Energy Conservation Building Code by use of appropriate thermal insulation material to fulfill requirements. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; border-radius: 10px; padding: 2px 10px;">Enter</a>	 Delete Row
38	AIR QUALITY MONITORING AND PRESERVATION	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	PPs Submission  The building has adequate distance between them to allow movement of fresh air and natural light, Ventilation. Complied 17-06-2025 Attachment:NA	<a href="#" style="border: 1px solid blue; border-radius: 10px; padding: 2px 10px;">Enter</a>	 Delete Row
39	Corporate Environmental Responsibility	Regular supervision of the above and other measures for monitoring should be in place all through the	PPs Submission  Regular supervision done by our site engineer	<a href="#" style="border: 1px solid blue; border-radius: 10px; padding: 2px 10px;">Enter</a>	 Delete Row

		construction phase, so as to avoid disturbance to the surroundings.		to take care of the construction activity and of the surroundings. Being Complied 17-06-2025 Attachment:NA		
40	Statutory compliance	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	PPs Submission	We have obtained Environmental Clearance for construction activity. Refer Annexure 6. Complied 17-06-2025 Attachment: <a href="#">Click to View</a>	<a href="#">Enter</a>	 Delete Row
41	Statutory compliance	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.	PPs Submission	Six monthly report is submitted to respective departments. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
42	Statutory compliance	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.	PPs Submission	We shall agree to comply with the condition. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
43	Statutory compliance	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet	PPs Submission	Wet garbage will be processed in Mechanical composter and manure	<a href="#">Enter</a>	 Delete Row

		garbage will be disposed outside the premises. Local authority should ensure this.		obtained shall be used in landscaping. Agreed to Comply 17-06-2025 Attachment:NA		
44	Statutory compliance	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.	PPs Submission	Condition is noted. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
45	Statutory compliance	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.	PPs Submission	Condition is noted and we shall fulfill the same. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
46	Statutory compliance	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	PPs Submission	Condition is noted and we shall approach department for any change/ amendment in the project. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
47	Corporate Environmental Responsibility	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	PPs Submission	Separate environment management cell/ consultant with qualified staff is formed and implementing the same. Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
48	Corporate Environmental Responsibility	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the	PPs Submission	EMP allocated for all pollution devices and other facilities. Refer Annexure 7. Complied 17-06-2025	<a href="#">Enter</a>	 Delete Row

		environment protection measures shall not be diverted for other purposes and year-wise expenditure should be reported to the MPCB and this department.		Attachment: <a href="#">Click to View</a>		
49	Statutory compliance	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://parivesh.nic.in">http://parivesh.nic.in</a>	PPs Submission	The advertisement is published in Marathi and English language local newspaper THE FREE PRESS JOURNAL dtd. 09.04.2019. Refer Annexure 8. Complied 17-06-2025 Attachment: <a href="#">Click to View</a>	<a href="#">Enter</a>	 Delete Row
50	Statutory compliance	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department, on 1st June and 1st December of each calendar year.	PPs Submission	We are submitting six monthly reports to Environment Department, Mantralaya and MPCB. Being Complied 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
51	Statutory compliance	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	PPs Submission	We shall comply the same. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row
52	Statutory compliance	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2,	PPs Submission	Condition is noted. Agreed to Comply 17-06-2025 Attachment:NA	<a href="#">Enter</a>	 Delete Row

		NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.			
53	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	PPs Submission	Condition is noted and submitted to regional office of MoEF. We are submitting herewith six-monthly reports to environment department, Mantralaya and MPCB. Being Complied 17-06-2025 Attachment:NA	<span style="border: 1px solid blue; padding: 2px;">Enter</span> <span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px;">-</span> Delete Row
54	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	PPs Submission	Condition is noted. Agreed to Comply 17-06-2025 Attachment:NA	<span style="border: 1px solid blue; padding: 2px;">Enter</span> <span style="color: red; border: 1px solid red; border-radius: 50%; padding: 2px 5px;">-</span> Delete Row

## Document Upload

### Last Site Visit Report (if available)

No file chosen

(Upload Pdf only Max 20 MB)

### Last Site Visit Report Date (if available)

### Additional Attachment (if any)

No file chosen

(Upload Pdf only Max 20 MB)

### Additional Remarks (if any)

I 'M/s. Arihant Estates' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Save as Draft & Preview